Journal of Applied Polymer Science

Author Index to Volume 95

Abbasi, F. See Haddadi, E., 1181
Abo-Ellil, M. S. See El-Kader, F. H. A., 1342
Abreu, F. O. M. S.
—; Forte, M. M. C.; Liberman, S. A.: SBS and SEBS Block Copolymers as Impact Modifiers for Polypropylene Compounds, 254
Agrawal, A. K. See Save, N. S., 672
—; Jassal, M.; Vishnoi, A.; Save, N. S.: Temperature Responsive Fibers with Anisotropic Transitional Behavior, 681
Ahmad, S.
—; Ashraf, S. M.; Hassan, S. N.; Hasnat, A.: Synthesis, Characterization, and Performance Evaluation of Hard, Anticorrosive Coating Materials Derived from Diglycidyl Ether of Bisphenol A Acrylates and Methacrylates, 494
Aijie, N. See Weiqing, R., 546
Alemdar, A.
—; Bütün, V.: Interaction between a Tertiary Amine Methacrylate Based Polyelectrolyte and a Sodium Montmorillonite Dispersion and Its Rheological and Colloidal Properties, 300
Alentiev, A.
—; Semenova, S. I.; Sanopoulou, M.: Non-Fickian Vapor Sorption Kinetics in Rubbery Poly(dimethyl silamethylene) and the Effect of Radiation-Induced Crosslinking, 226
Alexandre, M. See Solarski, S., 238
Alexandrova, I.
—; Iordanov, G.: Transport of Cadmium and Iron Through a Carboxylic Membrane Based on a Poly(vinyl chloride)/Poly(methyl methacrylate-*co*-divinyl benzene) System, 705
Amarasinghe, G. See Chen, F., 1549
Aminabhavi, T. M. See Prabhugouda, M., 336; Rao, K. C., 1481
—; Naidu, B. V. K.; Sridhar, S.; Rangarajan, R.: Pervaporation Separation of Water-Isopropanol Mixtures Using Polymeric Membranes: Modeling and Simulation Aspects, 1143
An, L. See Liu, L., 719
Andersson, T.
—; Holmgren, M. H.; Nielsen, T.; Wesslén, B.: Degradation of Low Density Polyethylene During Extrusion. IV. Off-Flavor Compounds in Extruded Films of Stabilized LDPE, 583
—; Nielsen, T.; Wesslén, B.: Degradation of Low Density Polyethylene During Extrusion. III. Volatile Compounds in Extruded Films Creating Off-Flavor, 847
Aphiwantrakul, S.
—; Srikhirin, T.; Triampo, D.; Putiworanat, R.; Limpanart, S.; Osotchan, T.; Udomkichdecha, W.: Role of the Cation-Exchange Capacity in the Formation of Polystyrene–Clay Nanocomposites by *In Situ* Intercalative Polymerization, 785
Ashraf, S. M. See Ahmad, S., 494
Ateia, E.
—; Effect of Swelling Process on Thermoelastic Temperature Change of Butadiene Acrylonitrile Rubber Filled with Polyvinyl Chloride, 916
Avlar, S. See Qiao, Y., 815

Bajpai, A. K. See Shukla, S., 1129
Bakar, M. A. See Lee, H. K., 113
Bandyopadhyay, A.
—; De Sarkar, M.; Bhowmick, A. K.: Effect of Reaction Parameters on the Structure and Properties of Acrylic Rubber/Silica Hybrid Nanocomposites Prepared by Sol-Gel Technique, 1418
Baoxiu, Z. See Tong, Z., 264
Bates, F. S. See Lee, J., 708
Baumann, F. E.
—; Haeger, H.; Novikova, O.; Oenbrink, G.; Richter, R.: Method for the Determination of Primary, Secondary, and Tertiary Amino Groups in Star-Shaped Polyamide 12 with a Poly(ethylene imine) Core, 556
Bedia, E. L.
—; Kasai, Y.; Ikeda, Y.; Kohjiya, S.: Effect of Mount Pinatubo Volcanic Ash on the Mechanical Properties of Styrene–Butadiene Rubber Vulcanizates, 68
Belokon, Y. M. See Gagieva, S. C., 1040
Benali, S. See Solarski, S., 238
Benítez, G. J. See Manfredi, L. B., 1448
Bergman, G. See Römhild, S., 797
Bhat, N. V.
—; Seshadri, D. T.: Novel Oxidants for Polymerization and Crystallization of Aniline, 640
Bhowmick, A. K. See Bandyopadhyay, A., 1418; Vijayabaskar, V., 435
Bianco-Peled, H. See Shach-Caplan, M., 1024
Blasig, A.
—; Thies, M. C.: Rapid Expansion of Cellulose Triacetate from Ethyl Acetate Solutions, 290
Borriello, A.
—; Nicolais, L.; Huang, S. J.: Poly(amide-ester)s Derived from Dicarboxylic Acid and Aminoalcohol, 362
Boyard, N.
—; Vayer, M.; Sinturel, C.; Erre, R.: Phase-Separation Mechanism and Corresponding Final Morphologies of Thermoset Blends Based on Unsaturated Polyester and Low-Molar-Weight Saturated Polyester, 1459
Bravaya, N. M. See Gagieva, S. C., 1040
Brosse, J. C. See Derouet, D., 39; Phinyocheep, P., 6
Bulychev, B. M. See Gagieva, S. C., 1040
Bütün, V. See Alemdar, A., 300

Cai, Q. See Zhang, T., 880
Cameron, R. E. See Noorsal, K., 475
Çamlı, S. T. See Unsal, E., 1430
Campistron, I. See Phinyocheep, P., 6
Cao, X. W. See Liu, Y. J., 1056
Çatalgil-Giz, H. See Parıl, A., 393
Cellier, J. See Moustaghfir, A., 380
Ceylan, K. See Ceylan, N. N., 1500
Ceylan, N. N.
—; İlter, Z.; Ceylan, K.: Kinetic Study of the Thermal Decomposition of (2-Phenyl-1,3-dioxolane-4-yl) Methyl Methacrylate and 2-

Hydroxyethyl Methacrylate Copolymers, 1500
Chakravarthula, S. S. See Qiao, Y., 815
Chang, F.-C. See Su, Y.-C., 730
Chang, J. See Xu, Q., 487
Charoenphol, P.
—; Supaphol, P.: Nonisothermal Melt-Crystallization Kinetics of Syndiotactic Polypropylene Compounded with Various Nucleating Agents, 245
Chattopadhyay, D. K.
—; Sreedhar, B.; Raju, K. V. S. N.: Thermal Stability of Chemically Crosslinked Moisture-Cured Polyurethane Coatings, 1509
Che, Y. See Tang, J., 539
Chen, B.-K. See Tsay, S.-Y., 321
Chen, B.-L. See Duánn, Y.-F., 1485
Chen, F.
—; Shanks, R. A.; Amarasinghe, G.: Rheological and Thermal Properties of Single-Site Polyethylene Blends, 1549
Chen, K.-H. See Yang, C.-P., 922
Chen, N.
—; Wan, C.; Zhang, Yong; Zhang, Yinxi; Zhang, C.: Fracture Behavior of PVC/Blendex/Nano-$CaCO_3$ Composites, 953
Chen, R.-S. See Yang, C.-P., 922
Chen, X.-Y. See Xie, H.-Q., 1295
Chen, Y.
—; Zhou, S.; Yang, H.; Wu, L.: Structure and Properties of Polyurethane/Nanosilica Composites, 1032
Cheng, F. See Wei, Y., 1175
Cheng, G. See Qu, R., 1557; Sun, C., 890
Chiu, S.-H. See Pong, S.-H., 280
Cho, H. See Choi, J. S., 1100
Cho, H. H. See Kang, Y. A., 212
Cho, K.
—; Yang, J.; Yoon, S.; Hwang, M.; Nair, S. V.: Toughening of Polycarbonate: Effect of Particle Size and Rubber Phase Contents of the Core-Shell Impact Modifier, 748
Choi, H. C. See Kim, Y. B., 342
Choi, J. S.
—; Im, S. H.; Song, M. Y.; Park, O. O.; Cho, H.; Hwang, J. T.: Fabrication of a Gradient Refractive Index Preform Using Laminar Shear Mixing, 1100
Choi, S. C. See Shin, E. J., 1209
Chuayjuljit, S.
—; Moolsin, S.; Potiyaraj, P.: Use of Natural Rubber-*g*-Polystyrene as a Compatibilizer in Casting Natural Rubber/Polystyrene Blend Films, 826
Chung, C.-B. See Han, I.-S., 967
Chung, M. J.
—; Jang, L. W.; Shim, J. H.; Yoon, J.-S.: Preparation and Characterization of Maleic Anhydride-*g*-Polypropylene/Diamine-Modified Clay Nanocomposites, 307
Cid, R. See Rivas, B. L., 1091
Çimen, E. K.
—; Rzaev, Z. M. O.; Pişkin, E.: Bioengineering Functional Copolymers: V. Synthesis, LCST, and Thermal Behavior of Poly(*N*-isopropyl acrylamide-*co*-*p*-vinylphenylboronic acid), 573
Cohen, Y. See Shach-Caplan, M., 1024
Colbeaux, A.
—; Fenouillot, F.; Gérard, J.-F.; Taha, M.; Wautier, H.: Compatibilization of a Polyolefin Blend through Covalent and Ionic Coupling of Grafted Polypropylene and Polyethylene. I. Rheological, Thermal, and Mechanical Properties, 312
Czupryński, B.
—; Liszkowska, J.; Paciorek-Sadowska, J.: Effect of Selected Boroorganic Compounds on Thermal and Heat Properties of Rigid Polyurethane–Polyisocyanurate Foams, 400

Dane, J. H. See Unsal, E., 841
Daniel, P. See Samran, J., 16
da R. Tavares, T. T. See Franceschini, F. C., 1050
Datta, R. N. See Heideman, G., 1388
del C. Pizarro, G.
—; Marambio, O. G.; Jeria-Orell, M.; Huerta, M. R.; Rivas, B. L.: Poly(N -Phenylmaleimide-*co*-β-Methylhydrogenitaconate). Synthesis, Characterization, and Copper (II) Ion Binding Properties, 1361
Derouet, D. See Phinyocheep, P., 6
—; Mulder-Houdayer, S.; Brosse, J.-C.: Chemical Modification of Polydienes in Latex Medium: Study of Epoxidation and Ring Opening of Oxiranes, 39
De Sarkar, M. See Bandyopadhyay, A., 1418
Devaux, E. See Solarski, S., 238
Dong, L. See Xie, H., 700
dos Santos, J. H. Z. See Franceschini, F. C., 1050
Du, Q. See Xu, P., 962
Duánn, Y.-F.
—; Chen, B.-L.; Tsai, T.-H.: Mechanical Properties of Copper-Clad Laminate Using Composite Naphthalene–Phenyl-Based Epoxy as Prepreg, 1485
Dubois, P. See Solarski, S., 238
Dumitrescu, C. See Jipa, S., 1570

Egli, W. A. See Manfredi, L. B., 1448
Elassar, A.-Z. A.
—; El-Sawy, N. M.: Recent Developments in the Radiation Grafting of *N*-Vinyl-2-pyrrolidone onto Low-Density Polyethylene with Cinnamonitrile Derivatives, 1189
El-Dessouky, H. M. See Hamza, A. A., 647
El-Din, H. M. N.
—; El-Naggar, A. W. M.: Synthesis and Characterization of Hydroxyethyl Methacrylate/Acrylamide Responsive Hydrogels, 1105
El-Farahaty, K. A. See Hamza, A. A., 647
Eliassi, A.
—; Modarress, H.: Excess Volume of Polymer/Solvent Mixtures and Proposed Model for Prediction of Activity of Solvents Based on Excess Volume Data, 1219
El-Kader, F. H. A.
—; Shehap, A. M.; Abo-Ellil, M. S.; Mahmoud, K. H.: Relaxation Phenomenon of Poly(vinyl alcohol)/Sodium Carboxy Methyl Cellulose Blend by Thermally Stimulated Depolarization Currents and Thermal Sample Technique, 1342
El-Khodary, A. See Tawansi, A., 1333
Elmas, B. See Unsal, E., 1430
El-Naggar, A. W. M. See El-Din, H. M. N., 1105
El-Sawy, N. M. See Elassar, A.-Z. A., 1189
Endo, T. See Kim, M. S., 1439; Nagatani, A., 144
Erre, R. See Boyard, N., 1459

Fainleib, A. M. See Grigoryeva, O. P., 659
Feng, C. See Shi, B., 871
Feng, L. See Ma, Z., 738
Fenouillot, F. See Colbeaux, A., 312
Forte, M. M. C. See Abreu, F. O. M. S., 254

Franceschini, F. C.
—; da R. Tavares, T. T.; Greco, P. P.; Galland, G. B.; dos Santos, J. H. Z.; Soares, J. B. P.: Effects of the Type and Concentration of Alkylaluminum Cocatalysts on the Molar Mass of Polypropylene Made with *In Situ* Supported Metallocene Catalysts, 1050
Fujiwara, I. See Teramoto, N., 1473
Fukahori, Y. See Mashita, N., 107
—; New Progress in the Theory and Model of Carbon Black Reinforcement of Elastomers, 60
Furo, M. See Ishizu, K., 413
Furukawa, M. See Nagatani, A., 144

Gagieva, S. C.
—; Sukhova, T. A.; Savinov, D. V.; Optov, V. A.; Bravaya, N. M.; Belokon, Y. M.; Bulychev, B. M.: New Fluorine-Containing Bissalicylidenimine–Titanium Complexes for Olefin Polymerization, 1040
Gahleitner, M.
—; Jääskeläinen, P.; Ratajski, E.; Paulik, C.; Reussner, J.; Wolfschwenger, J.; Neiβl, W.: Propylene–Ethylene Random Copolymers: Comonomer Effects on Crystallinity and Application Properties, 1073
Galaev, I. Y. See Savina, I. N., 529
Galland, G. B. See Franceschini, F. C., 1050
Gardette, J.-L. See Moustaghfir, A., 380
Gawdzik, B. See Maciejewska, M., 863
—; Matynia, T.; Kovtun, O.: Synthesis of the Glycidyl Aniline Adduct and Its Crosslinking, 524
Geckeler, K. E. See Rivas, B. L., 1091
Geleel, M. A. See Hegazy, E.-S. A., 936
Gérard, J.-F. See Colbeaux, A., 312
Gigante, B. See Jipa, S., 1570
Ginés, M. J. L. See Manfredi, L. B., 1448
Giz, A. See Parıl, A., 393
Gladden, L. F. See Noorsal, K., 475
Glowacz-Czerwonka, D.
—; Kucharski, M.: New Melamine-Formaldehyde-Ketone Polymers: I. Synthesis of Reactive Solvents of Melamine from Selected Ketones, 1319
Gondoh, T. See Toh, M., 166
Gong, S.-L. See Li, C., 1310
Gopalan, A. See Santhosh, P., 596
Gorghiu, L. M. See Jipa, S., 1570
Greco, P. P. See Franceschini, F. C., 1050
Grigoryeva, O. P.
—; Fainleib, A. M.; Tolstov, A. L.; Starostenko, O. M.; Lievana, E.; Karger-Kocsis, J.: Thermoplastic Elastomers Based on Recycled High-Density Polyethylene, Ethylene–Propylene–Diene Monomer Rubber, and Ground Tire Rubber, 659
Gu, J. See Wang, N., 465
Gu, Q.
—; Lin, Q.; Hu, C.; Yang, B.: Study on Emulsion and Suspension *In Situ* Polymerization, 404
Gu, X. See Ma, Z., 738
Guan, G.-H.
—; Li, C.-C.; Zhang, D.: Spinning and Properties of Poly(Ethylene Terephthalate)/Organomontmorillonite Nanocomposite Fibers, 1443
Guo, J. See Kang, X., 756; Xie, H.-Q., 1295

Ha, C.-S. See Mishra, J. K., 130; Park, D., 231
Haba, Y. See Shach-Caplan, M., 1024
Haddadi, E.
—; Abbasi, F.; Shojaei, A.: Wear and Thermal Effects in Low Modulus Polymer-Based Composite Friction Materials, 1181
Haeger, H. See Baumann, F. E., 556
Hamza, A. A.
—; Sokkar, T. Z. N.; El-Farahaty, K. A.; El-Dessouky, H. M.: Optothermomechanical Device for the Interferometric Characterization of Fibers, 647
Han, C. See Han, I.-S., 967
Han, I.-S.
—; Han, C.; Chung, C.-B.: Melt Index Modeling with Support Vector Machines, Partial Least Squares, and Artificial Neural Networks, 967
Han, Y.-K. See Park, D., 231
Hanora, A. See Savina, I. N., 529
Hansen, K. K.
—; Nielsen, C. J.; Hvilsted, S.: Low Molecular Weight Block Copolymers as Plasticizers for Polystyrene, 981
Hansen, L. M.
—; Smith, D. J.; Reneker, D. H.; Kataphinan, W.: Water Absorption and Mechanical Properties of Electrospun Structured Hydrogels, 427
Harrell, E. R. See Nakajima, N., 448
Hasnat, A. See Ahmad, S., 494
Hassan, S. N. See Ahmad, S., 494
He, G.
—; Yan, N.: Effect of Wood on the Curing Behavior of Commerical Phenolic Resin Systems, 185
—; Yan, N.: Influence of the Synthesis Conditions on the Curing Behavior of Phenol–Urea–Formaldehyde Resol Resins, 1368
He, S. See Kang, X., 756
He, Y.-B. See Li, C., 1310
Hedenqvist, M. S. See Römhild, S., 797
Hee, K. C. See Kumar, R. N., 1493
Hegazy, E.-S. A.
—; Kamal, H.; Geleel, M. A.; Maksoud, A. A.: Removal of Cesium-134 and Cobalt-60 with Radiation-Grafted Copolymers from Their Liquid Wastes, 936
Heideman, G.
—; Datta, R. N.; Noordermeer, J. W. M.; van Baarle, B.: Influence of Zinc Oxide during Different Stages of Sulfur Vulcanization. Elucidated by Model Compound Studies, 1388
Hirai, T. See Watanabe, M., 1565
Hirano, K.
—; Suzuki, K.; Nakano, K.; Tosaka, M.: Phase Separation Structure in the Polymer Blend of Fluorocarbon Elastomer and Hydrogenated Nitrile Rubber, 149
Hiraoka, S. See Yoshikawa, M., 1302
Hirotsu, T. See Nagatani, A., 144
Hoebbel, D. See Kayan, A., 790
Holmgren, M. H. See Andersson, T., 583
Hong, C. K.
—; Wool, R. P.: Development of a Bio-Based Composite Material from Soybean Oil and Keratin Fibers, 1524
Hong, J. W. See Kim, Y. B., 342
Hrubı, M.
—; Koňák, Č.; Ulbrich, K.: Poly(allyl glycidyl ether)-*block*-Poly(ethylene oxide): A Novel Promising Polymeric Intermediate for the Preparation of Micellar Drug Delivery Systems, 201
Hsieh, C.-F. See Yeh, J.-M., 1082
Hu, C. See Gu, Q., 404
Hu, L. See Li, C., 1310
Huang, H. See Li, C., 1310
Huang, J.-T.
—; Zhang, J.; Zhang, J.-Q.; Zheng, S.-H.: Template Imprinting

Amphoteric Polymer for the Recognition of Proteins, 358
Huang, S. J. See Borriello, A., 362
Huang, Y. See Wang, X., 724
Huerta, M. R. See del C. Pizarro, G., 1361
Hvilsted, S. See Hansen, K. K., 981
Hwang, J. T. See Choi, J. S., 1100
Hwang, M. See Cho, K., 748
Hwu, J.-M.
—; Jiang, G.-J.: Preparation and Characterization of Polypropylene–Montmorillonite Nanocomposites Generated by *In Situ* Metallocene Catalyst Polymerization, 1228

Ikeda, Y. See Bedia, E. L., 68; Kojima, M., 137
—; Masui, H.; Matoba, Y.: Ionic Conductivity of Polymer Solid Electrolyte Prepared from Poly[epichlorohydrin-*co*-(Ethylene Oxide)] of High Ethylene Oxide Content, 178
İlter, Z. See Ceylan, N. N., 1500
Im, S. H. See Choi, J. S., 1100
Iordanov, G. See Alexandrova, I., 705
Isayev, A. I. See Kim, K. H., 502
Ishihara, K. See Miyamoto, D., 615
Ishizu, K.
—; Katsuhara, H.; Kawauchi, S.; Furo, M.: Controlled Radical Polymerization of Styrene Initiated by Diethyldithiocarbamate-Mediated Iniferters, 413
Ismail, J. See Lee, H. K., 113
Ito, M. See Suzuki, N., 74
Iwai, T. See Uchiyama, Y., 82

Jääskeläinen, P. See Gahleitner, M., 1073
Jacquet, M. See Moustaghfir, A., 380
Jang, L. W. See Chung, M. J., 307; Park, E.-S., 1122
Jassal, M. See Agrawal, A. K., 681; Save, N. S., 672
Jaw, J.-H. See Yeh, J.-M., 1082
Jenke, D.
—; Poss, M.; Sadain, S.; Story, J.; Smith, W.; Reiber, D.: Identification of Caprolactam Oligomers and Related Compounds in Aqueous Extracts of Nylon-6, 1262
Jeria-Orell, M. See del C. Pizarro, G., 1361
Ji, C. See Qu, R., 1557; Sun, C., 890
Jia, J. See Yang, X., 1215
Jiang, G.-J. See Hwu, J.-M., 1228
Jianping, D.
—; Wantai, Y.: Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride, and Their Charge-Transfer Complex. V. Charge-Transfer Complex (1), 903
—; Wantai, Y.: Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride, and Their Charge-Transfer Complex. VI. Charge-Transfer Complex (2), 910
Jin, R.-G. See Zhang, T., 880
Jing, L.
—; Shanyuan, W.: Analysis and Discussion of the Modulus–Strain Curves of Poly(ethylene terephthalate) and Polyamide Industrial Yarns, 859
Jinliang, Q. See Weiqing, R., 546
Jipa, S.
—; Zaharescu, T.; Setnescu, R.; Gorghiu, L. M.; Dumitrescu, C.; Santos, C.; Silva, A. M.; Gigante, B.: Kinetic Approach on Stabilization of LDPE in the Presence of Carnosic Acid and Related Compounds. I. Thermal Investigation, 1571
Jose, S.
—; Thomas, S.; Lievana, E.; Karger-Kocsis, J.: Morphology and Mechanical Properties of Polyamide 12 Blends with Styrene/Ethylene-Butylene/Styrene Rubbers with and without Maleation, 1376

Kaji, K. See Takahashi, N., 157
Kamal, H. See Hegazy, E.-S. A., 936
Kammer, H. W. See Lee, H. K., 113
Kanaya, T. See Takahashi, N., 157
Kang, X.
—; He, S.; Zhu, C.; L¨u, L. W. L.; Guo, J.: Studies on Crystallization Behaviors and Crystal Morphology of Polyamide 66/Clay Nanocomposites, 756
Kang, Y. A.
—; Kim, K. H.; Cho, H. H.; Kikutani, T.: Effect of Low-Temperature Annealing on Dimensional Stability of Poly(ethylene 2,6-naphthalene dicarboxylate) Fibers Melt-Spun at High Speed, 212
Karaivanova, M.
—; Kodunova, A.; St. Pavlova: Preparation of Sodium Salts of *N*-Sulfonic Acids by Sulfomethylation of Nitro Oligomers Obtained from Waste Rubbers, 1002
Karger-Kocsis, J. See Grigoryeva, O. P., 659; Jose, S., 1376
Kasai, Y. See Bedia, E. L., 68
Kataphinan, W. See Hansen, L. M., 427
Kato, E.
—; Volume Phase Transition in Poly(*N*-isopropylacrylamide) Gels in Seawater at High Pressures, 1069
Katsuhara, H. See Ishizu, K., 413
Kawauchi, S. See Ishizu, K., 413
Kayan, A.
—; Hoebbel, D.; Schmidt, H.: Complexation of Titanium Alkoxides with Pentenoic Acid and Allylacetoacetate and Their Hydrolysis and Addition Reactions with H-Silanes, 790
Kazantseva, N. E. See Sapurina, I., 807
Khan, A. A. See Smitha, B., 1154
Kikutani, T. See Kang, Y. A., 212
Kim, B.-U. See Park, D., 231
Kim, G. H. See Mishra, J. K., 130
Kim, H. K. See Kim, Y. B., 342
Kim, H. S. See Lee, C. M., 1116
Kim, I. See Mishra, J. K., 130; Park, D., 231
Kim, J. H. See Lee, S. G., 1539
Kim, J. P. See Lee, S. G., 1539
Kim, K. H. See Kang, Y. A., 212
—; Isayev, A. I.; Kwon, K.: Flow-Induced Crystallization in the Injection Molding of Polymers: A Thermodynamic Approach, 502
Kim, K.-J.
—; VanderKooi, J.: Termperature Effects of Silane Coupling on Moisture Treated Silica Surface, 623
Kim, M. S.
—; Lee, S. B.; Lee, K. W.; Endo, T.: Hydrazinium Salts as Thermally Latent Initiators in the Polymerization of Glycidyl Phenyl Ether, 1439
Kim, S. C. See Yoon, S. S., 1062
Kim, Y. B.
—; Kim, H. K.; Choi, H. C.; Hong, J. W.: Photocuring of a Thoil-ene System Based on an Unsaturated Polyester, 342
Kittipoom, S. See Samran, J., 16
Kodunova, A. See Karaivanova, M., 1002
Kohjiya, S. See Bedia, E. L., 68; Kojima, M., 137; Terashita, F., 173
—; Preface, 1
Koňák, Č. See Hrubı, M., 201

Kojima, M.
—; Tosaka, M.; Ikeda, Y.; Kohjiya, S.: Devulcanization of Carbon Black Filled Natural Rubber Using Supercritical Carbon Dioxide, 137
Komada, H. See Mutsuda, M., 53
Kovtun, O. See Gawdzik, B., 524
Kratochvíl, J.
—; Sikora, A.: Crystallization Behavior of Poly(*N*-methyldodecano-12-lactam). IV. Nonisothermal Crystallization, 564
Krupa, I. See Novák, I, 1164
Kubota, N. See Shang, M., 219
Kucharski, M. See Glowacz-Czerwonka, D., 1319
Kulkarni, R. A. See Shukla, S., 1129
Kumar, R. N.
—; Hee, K. C.; Rozman, H. D.: Photofabrication of Biofiber-Based Polymer Matrix Composites, 1493
Kuo, T.-H. See Yeh, J.-M., 1082
Kwak, J. W. See Lee, S. G., 1539
Kwon, K. See Kim, K. H., 502
Kyriazi, E. See Sideridis, E., 1577

Lagare, M. T. See Prabhugouda, M., 336
LaPlante, G.
—; Lee-Sullivan, P.: Moisture Effects on FM300 Structural Film Adhesive: Stress Relaxation, Fracture Toughness, and Dynamic Mechanical Analysis, 1285
La Scala, J.
—; Wool, R. P.: Rheology of Chemically Modified Triglycerides, 774
Leblanc, J. L.
—; Investigating the Nonlinear Viscoelastic Behavior of Rubber Materials Through Fourier Transform Rheometry, 90
Lee, C. M.
—; Kim, H. S.; Yoon, J. S.: Synthesis and Chain Extension of Poly(L-lactic acid-*co*-succinic acid-*co*-1,4-butene diol), 1116
Lee, H. K.
—; Ismail, J.; Kammer, H. W.; Bakar, M. A.: Melt Reaction in Blends of Poly(3-hydroxybutyrate) (PHB) and Epoxidized Natural Rubber (ENR-50), 113
Lee, J.
—; Macosko, C. W.; Bates, F. S.: Development of Discrete Nanopores. II. Comparison between Layered Films and Blends of Polyolefins, 708
Lee, K.-P. See Santhosh, P., 596
Lee, K. W. See Kim, M. S., 1439
Lee, S. B. See Kim, M. S., 1439
Lee, S. G.
—; Kim, J. P.; Lyoo, W. S.; Kwak, J. W.; Noh, S. K.; Park, C. S.; Kim, J. H.: Preparation of Novel Syndiotactic Poly(vinyl alcohol) Microspheres through the Low-Temperature Suspension Copolymerization of Vinyl Pivalate and Vinyl Acetate and Heterogeneous Saponification, 1539
Lee, S.-H.
—; Ohkita, T.; Teramoto, Y.: Polyol Recovery from Biomass-Based Polyurethane Foam by Glycolysis, 975
—; Phase Behavior of Binary and Ternary Mixtures of Poly(ethylene-*co*-octene)–Hydrocarbons, 161
Lee, S. J. See You, Y., 193
Lee, T. S. See You, Y., 193
Lee, W.-K. See Mishra, J. K., 130
Lee, Y. H. See Shin, E. J., 1209
Lee-Sullivan, P. See LaPlante, G., 1285
Li, C.
—; Gong, S.-L.; Meng, L.-Z.; Hu, L.; Huang, H.; He, Y.-B.: Polysiloxane Resins Modified by Bisglycidyl Calix[4]arene: Preparation, Characterization, and Adsorption Behavior Toward Metal Ions, 1310
Li, C.-C. See Guan, G.-H., 1443
Li, H. See Wei, Y., 1175
Li, S.-H. See Liu, Y.-L., 1237
Li, Y. See Xiong, X., 832
—; Xie, T.; Yang, G.: Effects of Maleated Styrene-(Ethylene-*co*-Butene)–Styrene on the Morphology and Mechanical and Thermal Properties of Polystyrene/Polyamide 1212 Blends, 1354
Liang, G. See Yan, H., 1246
Liang, G. Z. See Zhu, G. M., 634
Liberman, S. A. See Abreu, F. O. M. S., 254
Lǔ, L. W. L. See Kang, X., 756
Lievana, E. See Grigoryeva, O. P., 659; Jose, S., 1376
Lim, J. C.
—; Park, J.-K.: Weld-Line Characteristics of Polycarbonate/Acrylonitrile–Butadiene–Styrene Blends. I. Effect of the Processing Temperature, 689
Limpanart, S. See Aphiwantrakul, S., 785
Lin, Q. See Gu, Q., 404
Lin, S. See Shen, Z., 1412
Lin, Y. See Xu, P., 962
Liszkowska, J. See Czupryński, B., 400
Liu, C.
—; Xiao, C.: Properties and Structure of PVP–Lignin "Blend Films," 1405
Liu, D. See Shen, Z., 1412
Liu, F. See Song, Y., 1251
Liu, H. See Shao, X., 993; Tang, J., 539
Liu, L.
—; Zhang, D.; An, L.; Zhang, H.; Tian, Y.: Hydrolytic Depolymerization of Poly(ethylene terephthalate) Under Microwave Irradiation, 719
Liu, W. See Shao, X., 993
Liu, Y. J.
—; Qu, J. P.; Cao, X. W.: Mathematical Model of Shear Rate of Polymer Melt Dynamic Extruding Through Capillary, 1056
Liu, Y.-L.
—; Li, S.-H.: Using Silica Nanoparticles as Curing Reagents for Epoxy Resins to Form Epoxy–Silica Nanocomposites, 1237
Lloyd, D. R. See Shang, M., 219
Lozinksy, V. I. See Savina, I. N., 529
Lu, C.-P. See Pong, S.-H., 280
Luyt, A. S. See Novák, I, 1164
Lyoo, W. S. See Lee, S. G., 1539

Ma, X. See Yan, H., 1246
Ma, Z. See Xiong, X., 832
—; Wang, L.; Wang, W.; Feng, L.; Gu, X.: Study of Propylene Polymerization Catalyzed by a Spherical $MgCl_2$-Supported Ziegler–Natta Catalyst System: The Effects of External Donors, 738
Maciejewska, M.
—; Gawdzik, B.: Preparation and Porous Structure Characterization of 4,4′-Diphenylmethane Dimethacrylate/Divinylbenzene Polymeric Particles, 863
Macosko, C. W. See Lee, J., 708
Mahmoud, K. H. See El-Kader, F. H. A., 1342
Mailhot, B. See Moustaghfir, A., 380

Maksoud, A. A. See Hegazy, E.-S. A., 936
Mallikarjuna, N. N. See Prabhugouda, M., 336; Rao, K. C., 1481
Mallu, P. See Siddaramaiah, 764
Manfredi, L. B.
—; Ginés, M. J. L.; Benítez, G. J.; Egli, W. A.; Rissone, H.; Vázquez, A.: Use of Epoxy–Phenolic Lacquers in Food Can Coatings: Characterization of Lacquers and Cured Films, 1448
Mantle, M. D. See Noorsal, K., 475
Marambio, O. G. See del C. Pizarro, G., 1361
Mark, J. E. See Venkitachalam, R., 1519
Mashita, N.
—; Fukahori, Y.: Structure Formation and Mechanical Properties of Thermoplastic Elastomer and Oil System Having a Microcellular Porous Structure, 107
Masui, H. See Ikeda, Y., 178
Mathanmohan, T. See Santhosh, P., 596
Matoba, Y. See Ikeda, Y., 178
Matsuyama, H. See Shang, M., 219
Mattiasson, B. See Savina, I. N., 529
Matynia, T. See Gawdzik, B., 524
Meng, L.-Z. See Li, C., 1310
Min, B.-M. See You, Y., 193
Mishima, M. See Toh, M., 166
Mishra, J. K.
—; Lee, W.-K.; Kim, G. H.; Kim, I.; Ha, C.-S.: Interchain Crosslinking in a Low-Density Polyethylene/Millable Polyurethane Elastomer Blend, 130
Miyamoto, D.
—; Watanabe, J.; Ishihara, K.: Molecular Design of Reactive Amphiphilic Phospholipid Polymer for Bioconjugation with an Enzyme, 615
Modarress, H. See Eliassi, A., 1219
Monteverde, F. See Solarski, S., 238
Moolsin, S. See Chuayjuljit, S., 826
Mori, T. See Toh, M., 166
Moriguchi, K. See Yoshikawa, M., 1302
Moustaghfir, A.
—; Rivaton, A.; Tomasella, E.; Mailhot, B.; Cellier, J.; Jacquet, M.; Gardette, J.-L.: Photostabilization of Polycarbonate by ZnO Coatings, 380
Mulder-Houdayer, S. See Derouet, D., 39
Mutsuda, M.
—; Komada, H.: Direct Bonding between Poly(oxy-2,6-dimethyl-1,4-phenylene) and Rubber with Radicals, 53

Nagai, Y. See Yoshikawa, M., 1302
Nagatani, A.
—; Endo, T.; Hirotsu, T.; Furukawa, M.: Preparation and Properties of Cellulose–Olefinic Thermoplastic Elastomer Composites, 144
Naidu, B. V. K. See Aminabhavi, T. M., 1143; Prabhugouda, M., 336; Rao, K. C., 1481
Nair, S. V. See Cho, K., 748
Naito, Y. See Terashita, F., 173
Nakajima, N.
—; Harrell, E. R.: Viscosity Aging of Poly(vinyl chloride) Plastisol: The Effect of the Resin Type and Plasticizer Type, 448
Nakano, K. See Hirano, K., 149
Narkis, M. See Shach-Caplan, M., 1024
Nauman, E. B. See Pappas, J., 1169
Nazarov, V. G.
—; Multiple Surface Structures in Polyolefins Formed by Modification Methods, 1198
—; Structure and Composition of the Surface Layer in Polymers Modified by Elemental Fluorine, 897
Neißl, W. See Gahleitner, M., 1073
Nicolais, L. See Borriello, A., 362
Nielsen, C. J. See Hansen, K. K., 981
Nielsen, T. See Andersson, T., 583; Andersson, T., 847
Ning, R. See Yan, H., 1246
Nishida, K. See Takahashi, N., 157
Noda, I. See Venkitachalam, R., 1519
Noh, S. K. See Lee, S. G., 1539
Noordermeer, J. W. M. See Heideman, G., 1388
Noorsal, K.
—; Mantle, M. D.; Gladden, L. F.; Cameron, R. E.: Degradation and Drug-Release Studies of a Poly(glycolide-*co*-trimethylene carbonate) Copolymer (Maxon), 475
Novák, I.
—; Krupa, I.; Luyt, A. S.: Improvement of the Polarity of Polyethylene with Oxidized Fischer–Tropsch Paraffin Wax and Its Influence on the Final Mechanical Properties, 1164
Novikova, O. See Baumann, F. E., 556

Oenbrink, G. See Baumann, F. E., 556
Ohkita, T. See Lee, S.-H., 975
Okuno, J. See Shang, M., 219
Ono, S. See Suzuki, N., 74
Optov, V. A. See Gagieva, S. C., 1040
Oraby, A. H. See Tawansi, A., 1333
Osotchan, T. See Aphiwantrakul, S., 785
Ozeki, M. See Teramoto, N., 1473

Paciorek-Sadowska, J. See Czupryński, B., 400
Pan, M.
—; Zhang, L.; Yuan, J.; Shi, X.: Rheological Behavior and Thermal Properties of Poly(butyl acrylate-*co*-2-ethylhexyl acrylate)-Grafted Vinyl Chloride Resin, 419
Papadopoulos, G. A. See Sideridis, E., 1577
Pappas, J.
—; Patel, K.; Nauman, E. B.: Structure and Properties of Phenolic Resin/Nanoclay Composites Synthesized by *In Situ* Polymerization, 1169
Parikh, P. F. See Shenoy, M. A., 606
Parıl, A.
—; Giz, A.; Çatalgil-Giz, H.: Copolymerization Reactivity Ratios Analysis of Sequentially Sampled Data by Error in Variables Method, 393
Park, C. S. See Lee, S. G., 1539
Park, D.
—; Kim, I.; Han, Y.-K.; Seul, S.-D.; Kim, B.-U.; Ha, C.-S.: Isothermal Crystallization Behavior of Metallocene-catalyzed Isotactic Polypropylene, 231
Park, E.-S.
—; Jang, L. W.; Yoon, J.-S.: Resistivity and Thermal Reproducibility of Carbon Black and Metallic Powder Filled Silicone Rubber Heaters, 1122
Park, J.-K. See Lim, J. C., 689
Park, O. O. See Choi, J. S., 1100
Park, W. H. See You, Y., 193
Patel, K. See Pappas, J., 1169
Paulik, C. See Gahleitner, M., 1073
Peng, W. See Tong, Z., 264
Pereira, E. See Rivas, B. L., 1091; Shenoy, M. A., 606
Phetphaisit, C. W. See Phinyocheep, P., 6
Phinyocheep, P. See Saelao, J., 28; Samran, J., 16
—; Phetphaisit, C. W.; Derouet, D.; Campistron, I.; Brosse, J. C.: Chemical Degradation of Epoxidized Natural Rubber Using Periodic Acid: Preparation

of Epoxidized Liquid Natural Rubber, 6
Pişkin, E. See Çimen, E. K., 573
Plieva, F. M. See Savina, I. N., 529
Pomerantsev, A. L. See Rodionova, O. Y., 1275
Pong, S.-H.
—; Lu, C.-P.; Wang, M.-C.; Chiu, S.-H.: Polypropylene Degradation Control during Reactive Extrusive, 280
Poss, M. See Jenke, D., 1262
Potiyaraj, P. See Chuayjuljit, S., 826
Prabhugouda, M.
—; Lagare, M. T.; Mallikarjuna, N. N.; Naidu, B. V. K.; Aminabhavi, T. M.: Energy Transfer Processes Between Primary and Secondary Dopants in Polystyrene Solutions Dissolved in 1,4-Dioxane, 336
Prokeš, J. See Sapurina, I., 807
Putiworanat, R. See Aphiwantrakul, S., 785

Qiao, Y.
—; Avlar, S.; Chakravarthula, S. S.: Essential Fracture Work of Nylon 6-Silicate Nanocomposites, 815
Qiu, G.-M.
—; Zhu, B.-K.; Xu, Y.-Y.: α-Amylase Immobilized by Fe_3O_4/Poly(styrene-*co*-maleic anhydride) Magnetic Composite Microspheres: Preparation and Characterization, 328
Qu, B. See Tang, L., 270
Qu, J. P. See Liu, Y. J., 1056
Qu, R. See Sun, C., 890
—; Wang, C.; Ji, C.; Sun, C.; Sun, X.; Cheng, G.: Preparation, Characterization, and Metal Binding Behavior of Novel Chelating Resins Containing Sulfur and Polyamine, 1558

Raju, K. V. S. N. See Chattopadhyay, D. K., 1509
Rangarajan, R. See Aminabhavi, T. M., 1143
Rao, K. C.
—; Rao, K. S. V. K.; Mallikarjuna, N. N.; Naidu, B. V. K.; Aminabhavi, T. M.: Spectrophotometric Investigation of Laser Dye Diffusion in Styrene–Acrylonitrile Copolymer Solutions, 1481
Rao, K. S. V. K. See Rao, K. C., 1481
Ratajski, E. See Gahleitner, M., 1073
Reiber, D. See Jenke, D., 1262
Reneker, D. H. See Hansen, L. M., 427
Reussner, J. See Gahleitner, M., 1073
Richter, R. See Baumann, F. E., 556
Rissone, H. See Manfredi, L. B., 1448
Rivas, B. L. See del C. Pizarro, G., 1361
—; Pereira, E.; Cid, R.; Geckeler, K. E.: Polyelectrolyte-Assisted Removal of Metal Ions with Ultrafiltration, 1091
Rivaton, A. See Moustaghfir, A., 380
Rochery, M. See Solarski, S., 238
Rodionova, O. Y.
—; Pomerantsev, A. L.: Prediction of Rubber Stability by Accelerated Aging Test Modeling, 1275
Römhild, S.
—; Bergman, G.; Hedenqvist, M. S.: Transport and Adhesion Properties of an Unlined and a Liquid-Crystalline Polymer–Lined Vinyl Ester Thermoset Exposed to Severe Environments, 797
Roopa, S. See Siddaramaiah, 764
Rozman, H. D. See Kumar, R. N., 1493
Ryvkina, N. G. See Sapurina, I., 807
Rzaev, Z. M. O. See Çimen, E. K., 573

Sadain, S. See Jenke, D., 1262
Sado, S. See Uchiyama, Y., 82
Saelao, J.
—; Phinyocheep, P.: Influence of Styrene on Grafting Efficiency of Maleic Anhydride onto Natural Rubber, 28
Sáha, P. See Sapurina, I., 807
Samran, J.
—; Phinyocheep, P.; Daniel, P.; Kittipoom, S.: Hydrogenation of Unsaturated Rubbers Using Diimide as a Reducing Agent, 16
Sanghi, R. See Singh, V., 820
Sankar, S. See Santhosh, P., 596
Sankarasubramanian, M. See Santhosh, P., 596
Sanopoulou, M. See Alentiev, A., 226
Santhosh, P.
—; Mathanmohan, T., Sankarasubramanian, M.; Sankar, S.; Vasudevan, T.; Gopalan, A.; Lee, K.-P.: Chemical Oxidative Grafting of Conducting Poly(*N*-methyl aniline) onto Poly(ethylene terepthalate), 596
Santos, C. See Jipa, S., 1570
Sapurina, I.
—; Kazantseva, N. E.; Ryvkina, N. G.; Prokeš, J.; Sáha, P.; Stejskal, J.: Electromagnetic Radiation Shielding by Composites of Conducting Polymers and Wood, 807
Save, N. S. See Agrawal, A. K., 681
—; Jassal, M.; Agrawal, A. K.: Stimuli Sensitive Copolymer Poly(*N*-tert-butylacrylamide-*ran*-acrylamide): Synthesis and Characterization, 672
Savina, I. N.
—; Hanora, A.; Plieva, F. M.; Galaev, I. Y.; Mattiasson, B.; Lozinsky, V. I.: Cryostructuration of Polymer Systems. XXIV. Poly(vinyl alcohol) Cryogels Filled with Particles of a Strong Anion Exchanger: Properties of the Composite Materials and Potential Applications, 529
Savinov, D. V. See Gagieva, S. C., 1040
Schmidt, H. See Kayan, A., 790
Schwartz, P. See Unsal, E., 841
Semenova, S. I. See Alentiev, A., 226
Şenel, S. See Unsal, E., 1430
Seshadri, D. T. See Bhat, N. V., 640
Setnescu, R. See Jipa, S., 1570
Seul, S.-D. See Park, D., 231
Severe, G.
—; White, J. L.: Dynamically Vulcanized Blends of Oil-Resistant Elastomers with HNBR, 2
Shach-Caplan, M.
—; Haba, Y.; Narkis, M.; Cohen, Y.; Bianco-Peled, H.: Small-Angle X-ray Scattering Study of Modified Porous Suspension–Poly(vinyl chloride) Particles, 1024
Shang, M.
—; Matsuyama, H.; Teramoto, M.; Okuno, J.; Lloyd, D. R.; Kubota, N.: Effect of Diluent on Poly(ethylene-*co*-vinyl alcohol) Hollow-Fiber Membrane Formation via Thermally Induced Phase Separation, 219
Shanks, R. A. See Chen, F., 1549
Shanyuan, W. See Jing, L., 859
Shao, X.
—; Xue, Q.; Liu, W.; Teng, M.; Liu, H.; Tao, X.:Tribological Behavior of Micrometer- and Nanometer-Al_2O_3-Particle-Filled Poly(phthalazine ether sulfone ketone) Copolymer Composites Used as Frictional Materials, 993
Shehap, A. M. See El-Kader, F. H. A., 1342
Shen, Z.
—; Zhu, F.; Liu, D.; Zeng, X.; Lin, S.: Preparation of Syndiotactic

Polystyrene/Montmorillonite Nanocomposites via *In Situ* Intercalative Polymerization of Styrene with Monotitanocene Catalyst, 1412
Shenoy, M. A.
—; Pereira, E. A.; Parikh, P. F.: Aromatic Polyesters Based on Bisphenol-A for Liquid Insulating Systems: A Synthetic Approach, 606
Shi, B.
—; Feng, C.; Wu, Y.: Relationship between the Separation Performances and Free Volume Distributions of Polyimide/Ag_3O_4 Composite Membranes, 871
Shi, X. See Pan, M., 419
Shibata, M. See Someya, Y., 386; Teramoto, N., 1473
Shieh, J.-Y.
—; Yang, S.-P.; Wang, C.-S.: Synthesis and Characterization of Novel Low-Dielectric Cyanate Esters. II, 369
Shim, J. H. See Chung, M. J., 307
Shin, E. J.
—; Lee, Y. H.; Choi, S. C.: Structure and Processability of Iodinated Poly(vinyl Alcohol). II. Drawability of Iodinated Films, 1209
Shojaei, A. See Haddadi, E., 1181
Shukla, S.
—; Bajpai, A. K.; Kulkarni, R. A.: Preparation, Characterization, and Water-Sorption Study of Polyvinyl Alcohol Based Hydrogels with Grafted Hydrophilic and Hydrophobic Segments, 1129
Siddaramaiah
—; Mallu, P.; Roopa, S.; Somashekarappa, H.; Somashekar, R.: Studies on Physico-Mechanical and Optical Properties, and WAXS of Castor Oil Based Polyurethane/Polyacrylates Interpenetrating Polymer Networks, 764
Sideridis, E.
—; Papadopoulos, G. A.; Kyriazi, E.: Strength of Materials and Elasticity Approach to Stiffness of Fibrous Composites Using the Concept of Interphase, 1578
Sikora, A. See Kratochvíl, J., 564
Silva, A. M. See Jipa, S., 1570
Singh, V.
—; Tripathi, D. N.; Tiwari, A.; Sanghi, R.: Microwave Promoted Synthesis of Chitosan-Graft-Poly(acrylonitrile), 820
Sinturel, C. See Boyard, N., 1459
Smith, D. J. See Hansen, L. M., 427
Smith, W. See Jenke, D., 1262
Smitha, B.
—; Sridhar, S.; Khan, A. A.: Synthesis and Characterization of Poly(vinyl alcohol)-Based Membranes for Direct Methanol Fuel Cell, 1154
Soares, J. B. P. See Franceschini, F. C., 1050
Sokkar, T. Z. N. See Hamza, A. A., 647
Solarski, S.
—; Benali, S.; Rochery, M.; Devaux, E.; Alexandre, M.; Monteverde, F.; Dubois, P.: Synthesis of a Polyurethane/Clay Nanocomposite Used as Coating: Interactions Between the Counterions of Clay and the Isocyanate and Incidence on the Nanocomposite Structure, 238
Somashekar, R. See Siddaramaiah, 764
Somashekarappa, H. See Siddaramaiah, 764
Someya, Y.
—; Sugahara, Y.; Shibata, M.: Nanocomposites Based on Poly(butylene adipate-*co*-terephthalate) and Montmorillonite, 386
Song, M. Y. See Choi, J. S., 1100
Song, Y.
—; Liu, F.; Sun, B.: Preparation, Characterization, and Application of Thin Film Composite Nanofiltration Membranes, 1251
Sreedhar, B. See Chattopadhyay, D. K., 1509
Sridhar, S. See Aminabhavi, T. M., 1143; Smitha, B., 1154
Srikhirin, T. See Aphiwantrakul, S., 785
St. Pavlova. See Karaivanova, M., 1002
Starostenko, O. M. See Grigoryeva, O. P., 659
Stejskal, J. See Sapurina, I., 807
Story, J. See Jenke, D., 1262
Su, Y.-C.
—; Yei, D.-R.; Chang, F.-C.: The Kinetics of B-a and P-a Type Copolybenzoxazine via the Ring Opening Process, 730
Sudduth, R. D.
—; Development of the Efficiency of Yield Energy Dissipation from the Yield Strength Power Law Relationship, 1589
Sugahara, Y. See Someya, Y., 386
Sukhova, T. A. See Gagieva, S. C., 1040
Sun, B. See Song, Y., 1251
Sun, C. See Qu, R., 1557
—; Qu, R.; Wang, C.; Ji, C.; Cheng, G.: Synthesis of Polystyrene-Supported Glucosamine Resin and Its Adsorption Properties for Metal Ions, 890
Sun, J. See Xie, H., 700
Sun, Q.-j. See Yao, D.-s., 946
Sun, X. See Qu, R., 1557
Supaphol, P. See Charoenphol, P., 245
Suzuki, K. See Hirano, K., 149
Suzuki, N.
—; Ito, M.; Ono, S.: Effects of Rubber/Filler Interactions on the Structural Development and Mechanical Properties of NBR/Silica Composites, 74

Taha, M. See Colbeaux, A., 312
Takagi, S. See Terashita, F., 173
Takahashi, N.
—; Kanaya, T.; Nishida, K.; Kaji, K.: Small-Angle Neutron Scattering Study of Poly(vinyl alcohol) Gels During Melting Process, 157
Tang, J.
—; Che, Y.; Liu, H.; Wang, Y.: Relationship between the Morphological Structure and Mechanical Properties of Copper-in-Hydrophilic Polymer Gradient Composite Films, 539
Tang, L.
—; Wu, Q.; Qu, B.: The Effects of Chemical Structure and Synthesis Method on Photodegradation of Polypropylene, 270
Tao, X. See Shao, X., 993
Tawansi, A.
—; El-Khodary, A.; Oraby, A. H.; Youssef, A. E.: Effect of $AgNO_3$-$MnCl_2$ Mixed Fillers on the Physical Properties of Polystyrene Films, 1333
Teng, M. See Shao, X., 993
Teramoto, M. See Shang, M., 219
Teramoto, N.
—; Ozeki, M.; Fujiwara, I.; Shibata, M.: Crosslinking and Biodegradation of Poly(butylene succinate) Prepolymers Containing Itaconic or Maleic

Acid Units in the Main Chain, 1473
Teramoto, Y. See Lee, S.-H., 975
Terashita, F.
—; Takagi, S.; Kohjiya, S.; Naito, Y.: Airtight Butyl Rubber Under High Pressures in the Storage Tank of CAES-G/T System Power Plant, 173
Thies, M. C. See Blasig, A., 290
Thomas, S. See Jose, S., 1376
Tian, Y. See Liu, L., 719
Tiwari, A. See Singh, V., 820
Toh, M.
—; Gondoh, T.; Mori, T.; Mishima, M.: Mixing Characteristics of an Internal Mixer: Uniformity of Mixed Rubber, 166
Tolstov, A. L. See Grigoryeva, O. P., 659
Tomasella, E. See Moustaghfir, A., 380
Tong, Z.
—; Peng, W.; Zhiqian, Z.; Baoxiu, Z.: Microwave Irradiation Copolymerization of Superabsorbents from Cornstarch and Sodium Acrylate, 264
Toppare, L. See Ünür, E., 1014
Tosaka, M. See Hirano, K., 149; Kojima, M., 137
Triampo, D. See Aphiwantrakul, S., 785
Tripathi, D. N. See Singh, V., 820
Tsai, M.-F. See Tsay, S.-Y., 321
Tsai, T.-H. See Duánn, Y.-F., 1485
Tsay, S.-Y.
—; Tsai, M.-F.; Chen, B.-K.: Synthesis and Properties of Fluorinated Polyamideimides with High Solubility, 321
Tuncel, A. See Unsal, E., 1430
Tuncel, M. See Unsal, E., 1430

Uchiyama, Y.
—; Wada, N.; Iwai, T.; Ueda, S.; Sado, S.: Friction of Short-Fiber–Reinforced Rubber on Wet Surfaces, 82
Udomkichdecha, W. See Aphiwantrakul, S., 785
Ueda, S. See Uchiyama, Y., 82
Ulbrich, K. See Hrubı, M., 201
Unsal, E.
—; Elmas, B.; Çamlı, S. T.; Tuncel, M.; Şenel, S.; Tuncel, A.: Monodisperse-Porous Poly(Styrene-*co*-Divinylbenzene) Beads Providing High Column Efficiency in Reversed Phase HPLC, 1430
—; Schwartz, P.; Dane, J. H.: Role of Capillarity in Penetration into and Flow Through Fibrous Barrier Materials, 841
Ünür, E.
—; Toppare, L.; Yağci, Y.; Yilmaz, F.: Conducting Copolymers of Polytetrahydrofuran and Their Electrochromic Properties, 1014

van Baarle, B. See Heideman, G., 1388
VanderKooi, J. See Kim, K.-J., 623
Vasudevan, T. See Santhosh, P., 596
Vayer, M. See Boyard, N., 1459
Vázquez, A. See Manfredi, L. B., 1448
Venkitachalam, R.
—; Mark, J. E.; Noda, I.: Drying Biodegradable Poly(hydroxybutyrate-*co*-3-hydroxyvalerate) Gels in the Elongated State To Improve Their Mechanical Properties, 1519
Vijayabaskar, V.
—; Bhowmick, A. K.: Electron-Beam Modification of Nitrile Rubber in the Presence of Polyfunctional Monomers, 435
Vishnoi, A. See Agrawal, A. K., 681

Wada, N. See Uchiyama, Y., 82
Wakimoto, N. See Watanabe, M., 1565
Wan, C. See Chen, N., 953
Wang, C. See Qu, R., 1557; Sun, C., 890
Wang, C.-S. See Shieh, J.-Y., 369
Wang, H. See Xu, P., 962
Wang, L. See Ma, Z., 738; Wang, X., 724
Wang, M.-C. See Pong, S.-H., 280
Wang, N.
—; Zhang, L.; Gu, J.: Mechanical Properties and Biodegradability of Crosslinked Soy Protein Isolate/Waterborne Polyurethane Composites, 465
Wang, W. See Ma, Z., 738
Wang, X.
—; Wang, L.; Huang, Y.: Influence of Swelling Solutions on the Behavior of Cholesteric Networks, 724
Wang, Y. See Tang, J., 539; Yang, X., 1215
Wantai, Y. See Jianping, D., 903; Jianping, D., 910
Watanabe, J. See Miyamoto, D., 615
Watanabe, M.
—; Wakimoto, N.; Hirai, T.; Yokoyama, M.: Thermal Switching of the Actuation Ability of an Electroactive Polymer Actuator, 1566
Wautier, H. See Colbeaux, A., 312
Wei, Y.
—; Cheng, F.; Li, H.; Yu, J.: Properties and Microstructure of Polyurethane Resins from Liquefied Wood, 1175
Weiqing, R.
—; Jinliang, Q.; Yuli, H.; Aijie, N.: Superabsorbent Resin of Acrylic Acid/Ammonium Acrylate Copolymers Synthesized by Ultraviolet Photopolymerization, 546
Wesslén, B. See Andersson, T., 583; Andersson, T., 847
White, D. R.
—; White, R. L.: Infrared and Mass Spectrometry Studies of the Thermal Decomposition of a Nitro-Aromatic Polymer, 351
White, J. L. See Severe, G., 2
White, R. L. See White, D. R., 351
Wolfschwenger, J. See Gahleitner, M., 1073
Wool, R. P. See Hong, C. K., 1524; La Scala, J., 774
Wu, D.-Z. See Zhang, T., 880
Wu, L. See Chen, Y., 1032
Wu, Q. See Tang, L., 270
Wu, Y. See Shi, B., 871

Xiao, C. See Liu, C., 1405
Xie, D. See Xie, H.-Q., 1295
Xie, H.
—; Dong, L.; Sun, J.: Influence of Radiation Structures on Positive-Termperature-Coefficient and Negative-Temperature-Coefficient Effects of Irradiated Low-Density Polyethylene/Carbon Black Composites, 700
Xie, H.-Q.
—; Xie, D.; Chen, X.-Y.; Guo, J.-S.: Revised Synthesis, Characterization, and Properties of Two-Component Amphiphilic Polyoxyethylene–Containing Multiblock Copolymers, 1295
Xie, T. See Li, Y., 1354
Xiong, J.
—; Ye, J.: Synthesis and Characterization of Cellulose Ethers/Eu(III), 743
Xiong, X.
—; Zhang, L.; Ma, Z.; Li, Y.: Effects of Molecular Weight and Arm

Number on Properties of Star-Shape Styrene–Butadiene–Styrene Triblock Copolymer, 832
Xu, G. Y. See Zhu, G. M., 634
Xu, P.
—; Zhong, W.; Wang, H.; Lin, Y.; Du, Q.: Study on Water Resistance of Paper Treated with Polyacrylate Microlatex, 962
Xu, Q.
—; Yuan, X.; Chang, J.: Self-Aggregates of Cholic Acid Hydrazide–Dextran Conjugates as Drug Carriers, 487
Xu, Y.-Y. See Qiu, G.-M., 328
Xue, Q. See Shao, X., 993

Yağci, Y. See Ünür, E., 1014
Yan, H.
—; Ning, R.; Liang, G.; Ma, X.: The Performances of BMI Nanocomposites Filled with Nanometer SiC, 1246
Yan, N. See He, G., 185; He, G., 1368
Yang, B. See Gu, Q., 404
Yang, C.-P.
—; Chen, R.-S.; Chen, K.-H.: Organosoluble and Light-Colored Fluorinated Polyimides Based on 2,2-Bis[4-(4-amino-2-trifluoro-methylphenoxy)phenyl]propane and Aromatic Dianhydrides, 922
Yang, G. See Li, Y., 1354
Yang, H. See Chen, Y., 1032
Yang, J. See Cho, K., 748
Yang, S.-P. See Shieh, J.-Y., 369
Yang, X.
—; Wang, Y.; Jia, J.: Studies on Chain Transfer Reaction in Butadiene Polymerization Initiated with *n*-Butyl Lithium and Novel Promoter Potassium *para*-Methylphenoxide, 1215
Yao, D.-s.
—; Zhang, B.-y.; Sun, Q.-j.; Zhang, L.-f.: Synthesis and Properties of Side-Chain Liquid-Crystalline Polysiloxanes Containing Hemiphasmidic Mesogens, 946
Ye, J. See Xiong, J., 743
Yeh, J.-M.
—; Hsieh, C.-F.; Jaw, J.-H.; Kuo, T.-H.: Organo-Soluble Polyimide (ODA–BSAA)/Montmorillonite Nanocomposite Materials Prepared by Solution Dispersion Technique, 1082
Yei, D.-R. See Su, Y.-C., 730
Yilmaz, F. See Ünür, E., 1014
Yokoyama, M. See Watanabe, M., 1565
Yoon, J. S. See Lee, C. M., 1116
Yoon, J.-S. See Chung, M. J., 307; Park, E.-S., 1122
Yoon, S. See Cho, K., 748
Yoon, S. S.
—; Kim, S. C.: Modification of Aqueous Polyurethane Dispersions by Polybutadiene, 1062
Yoshikawa, M.
—; Nagai, Y.; Moriguchi, K.; Hiraoka, S.: Chiral Recognition Ability of Oligopeptide Derivatives Consisting of Glutamyl Residues, 1302
You, Y.
—; Min, B.-M.; Lee, S. J.; Lee, T. S.; Park, W. H.: *In Vitro* Degradation Behavior of Electrospun Polyglycolide, Polylactide, and Poly(lactide-*co*-glycolide), 193
Youssef, A. E. See Tawansi, A., 1333
Yu, J. See Wei, Y., 1175
Yuan, J. See Pan, M., 419
Yuan, X. See Xu, Q., 487
Yuli, H. See Weiqing, R., 546

Zaharescu, T. See Jipa, S., 1570
Zeng, X. See Shen, Z., 1412
Zhang, B.-y. See Yao, D.-s., 946
Zhang, C. See Chen, N., 953
Zhang, D. See Guan, G.-H., 1443; Liu, L., 719
Zhang, H. See Liu, L., 719
Zhang, J. See Huang, J.-T., 358
Zhang, J.-Q. See Huang, J.-T., 358
Zhang, L. See Pan, M., 419; Wang, N., 465; Xiong, X., 832
Zhang, L.-f. See Yao, D.-s., 946
Zhang, T.
—; Cai, Q.; Wu, D.-Z.; Jin, R.-G.: Phosphazene Cyclomatrix Network Polymers: Some Aspects of the Synthesis, Characterization, and Flame-Retardant Mechanisms of Polymer, 880
Zhang, Yinxi. See Chen, N., 953
Zhang, Yong. See Chen, N., 953
Zheng, S.-H. See Huang, J.-T., 358
Zhiqian, Z. See Tong, Z., 264
Zhong, W. See Xu, P., 962
Zhou, H. F. See Zhu, G. M., 634
Zhou, S. See Chen, Y., 1032
Zhu, B.-K. See Qiu, G.-M., 328
Zhu, C. See Kang, X., 756
Zhu, F. See Shen, Z., 1412
Zhu, G. M.
—; Xu, Q. Y.; Liang, G. Z.; Zhou, H. F.: Shape-Memory Behaviors of Sensitizing Radiation-Crosslinked Polycaprolactone with Polyfunctional Poly(ester acrylate), 634

Journal of Applied Polymer Science

Subject Index to Volume 95

Acrylic rubber, 1418
Activation energy, 564, 730, 890, 1105, 1342, 1500
Activity, 1219
Adhesion, 53, 82, 797, 1164
Adhesives, 1062, 1285
Adsorption, 890, 1310, 1558
Ageing, 448, 1275
Agglomerates, 74
Alcohol residue, 623
Alloys, 1251
Aminoalcohols, 362
Amphiphiles, 1295
Anionic polymerization, 201, 1215
Annealing, 212
Antioxidants, 583
Arm number, 832
Atom transfer radical polymerization (ATRP), 981
Avrami and Tobin treatment, 564

Barrier, 173, 841
Benzoxazine, 730
Bio-based composite materials, 1524
Bioconjugation, 615
Biodegradable, 386, 465, 475, 1116, 1473
Biodegradable polymers, 1519
Biofibers, 1493
Biomass, 975
Biomaterials, 1154
2.2-Bis[4-(4-amino-2-trifluoromethylphenoxy)-phenyl]propane, 922
Bisglycidyl calix [4]arene, 1310
Bismaleimide, 1246
Bitumen, 659
Blending, 826
Blends, 2, 113, 130, 149, 254, 312, 1024, 1154, 1342, 1376, 1549
Block copolymer, 254, 413
Branched, 556
Breaking, 404

Calcium carbonate, 953
Calorimetry, 1448
Capillary, 1056
Carbon black, 60, 137, 700
Carbon dioxide, 137
Carnosic acid, 1571
Catalysis, 1040
Catalysts, 1050
Cationic polymerization, 1439
Cellulose, 144
Cellulose derivatives, 743
Centrifugal force, 1100
Chain, 1509
Chain transfer, 1215
Characterization, 1129
Charge transfer, 28, 903, 910
Charlesby–Pinner plot, 435
Chelating resins, 1558
Chemical equivalent, 400
Chemical structure, 270
Chemiluminescence, 1571
Chicken feathers, 1524
Chiral, 1302
Chitosan-grafted-polyacrylonitrile, 820
Cholic acid, 487
Chromatographic packing, 1430
Chromatography, 863
Clay, 1082
Cloud-point, 161
Coatings, 238, 380, 494, 962, 1032, 1082, 1319, 1448
Colloids, 487
Column efficiency, 1430
Compatibilization, 144, 312, 659, 689, 826, 1295, 1354, 1376
Composites, 144, 529, 700, 724, 797, 807, 871, 953, 993, 1122, 1493
Computer mechanical properties, 967
Conducting polymers, 640, 807, 1014
Conductivity ageing, 807
Conjugated polymer, 487, 596
Constant strain rate, 1588
Controlled radical polymerization, 413
Cooling rate, 815
Coordination complex, 743
Copolymer, 178, 832
Copolymerization, 264, 393, 524, 546, 573, 863, 962, 1073, 1116, 1361
Copolymerized polypropylene, 270
Copper-clad laminate, 1485
Core-shell impact modifier, 748
Core–shell polymers, 328
Corrosion, 1082
Crazing, 60, 708
Creep, 1588
Crosslinking, 68, 226, 342, 465, 524, 634, 863, 1105, 1154, 1519
Crystallization, 231, 245, 502, 564, 640, 756, 1073
Crystal structure, 1209, 1295
Curing of polymers, 68, 185, 1237, 1368
Cyclomatrix, 880

Decomposition, 1500
Degradation, 6, 193, 280, 380, 419, 475, 583, 719, 847, 1262
Degradation products, 583, 847
Density functional theory, 413
Devulcanization, 137
Dextran, 487
Diblock copolymers, 201, 981
Dibutylphosphate, 39
Dielectric properties, 369, 1342, 1524
Differential scanning calorimetry (DSC), 185, 564, 1073, 1368, 1485
Diffusion, 226, 705, 797, 1100, 1481
Dispersions, 1032
Dispersions twist direction, 166
Distance distribution function, 157
Dithiocarbamate-mediated iniferter, 413
Divinylbenzene, 1430
Drawing, 1209
Drug delivery systems, 201, 475, 487
Dyes, 336
Dyes/pigments, 1481

Elasticity, 1578
Elastomers, 16, 60, 90, 107, 149, 161, 178, 953, 1566
Electrical resistance, 1122
Electrochemistry, 539
Electrochromic copolymers, 1014
Electromagnetic radiation, 807
Electron-beam irradiation, 435
Emission spectrum, 743
Emulsion polymerization, 404
Energy transfer, 336
Enzyme, 328, 615
Epichlorohydrin, 178
Epoxidation, 6, 39
Epoxidized natural rubber, 113
Epoxy, 1237
Equilibrium swelling, 1129
ESR/EPR, 1333
Essential work, 815
Ethylene oxide, 178
Eu^{3+}, 743
Excess volume, 1219
External donor, 738
Extractables, 1262
Extrusion, 583, 847

Fibers, 82, 193, 290, 647, 681, 1443
FIIR, 28
Filler, 993, 1122
Films, 606, 708, 1209

Fir, 807
Flame retardance, 880
Flory–Huggins theory, 1219
Fluorescence, 336, 743
Fluorinated ethylene propylene copolymer (FEP), 797
Fluorinated polymer, 321
Fluoropolymers, 897, 922, 1198
Foams, 400
Fourier transform rheometry, 90
Fractionation of polymers, 1073
Fracture, 748, 815, 953, 1285
Friction coefficient, 82
Friction material, 1181
FTIR, 342, 556, 640, 790, 1310
Functionalization, 1198
Functionalization of polymers, 39, 201

Gas permeation, 173
Gel, 157
Gelation, 529
Gel permeation chromatography (GPC), 719
Glass transition, 962, 981, 1285
Glycidyl aniline adduct, 524
Glycolysis, 975
GPC, 640
Gradient refractive index, 1100
Graft copolymers, 596, 826, 903, 910, 1189
Grafting, 1129
Ground tire rubber (GTR), 659

Hardness, 1246
Heat resistance, 400
Hemiphasmidic monomers, 946
Heteroatom-containing polymers, 1319
Heterocyclic, 730
Heterogeneous saponification, 1539
High performance polymers, 369
High pressure, 161, 1069
High-speed spinning, 212
Hollow fibers, 219
Homopolymerized polypropylene, 270
HPLC, 1430
Hydrogels, 427, 672, 681, 1069, 1105
Hydrogenation, 16
Hydrogen bonding, 74, 1405
Hydrolysis reaction, 623
Hysteresis, 841

Immobilization, 328
Infrared spectroscopy, 351, 435, 606, 1333, 1448
Iniferter, 615
Initiators, 1439
Injection molding, 502
Inorganic materials, 790
In situ polymerization, 1228, 1412
Interchain crosslinking, 130
Interface model, 60
Interfaces, 53
Interpenetrating polymer networks, 764
Ion exchangers, 529
Ionic conductivity, 178
I.P.N hydrogels, 1129
Irradiation, 226, 700, 936
IR spectroscopy, 130
Isomerization, 16
Isotactic, 231

Keratin fibers, 1524
Kinetics, 730
Kinetics (polym.), 393, 564, 596, 756, 1500
$K_2S_2O_8$/ascorbic acid, 820

Laminar shear mixing, 1100
Latex, 39
Layer growth, 502
Light-colored, 922
Lignin, 1405
Liquefaction, 975
Liquid crystalline polymers (LCP), 797
Liquid-crystalline polysiloxanes, 946
Living polymerization, 1014
Living radical polymerization, 615
Low density, 1524
Low density polyethylene, 130, 1571

Macroporous polymers, 358
Magnetic polymers, 328
Maleic anhydride, 28
Mass spectrometry, 351
Mechanical properties, 74, 82, 212, 254, 386, 435, 539, 623, 764, 832, 1032, 1073, 1164, 1169, 1246, 1275, 1485, 1519
Melamine, 1319
Melt, 113, 362, 967
Melting process, 157
Membranes, 219, 705, 871, 936, 1143, 1154
Metal ions, 890
Metallocene catalysts, 231, 1412
Metal polymer complexes, 539, 1361
Metal-polymer ion membrane, 1091
Methacrylate copolymers, 1500
Methylaluminoxane, 1412
Micelles, 201
Microcrystalline parameters, 764
Microspheres, 1539
Microstructure, 859, 1175, 1459
Microwave irradiation, 264, 820
Millable polyurethane, 130
Miscibility, 161, 465, 981, 1549
Mixing, 166
Modeling, 967, 1143, 1275, 1578
Modification, 6, 16, 28, 39
Modulus, 859, 1578
Moisture absorption, 623
Moisture curing, 1509
Molecular imprinting, 358, 1302
Molecular recognition, 358, 1302
Molecular weight distribution, 1215
Molecular weight distribution/molar mass distribution, 1050
Monodisperse particles, 1430
Monomers, 962
Montmorillonite, 756, 1169
Morphology, 107, 113, 254, 539, 689, 1189
Multiblock copolymers, 1295

Nanoclay, 1169
Nanocomposites, 238, 307, 328, 386, 404, 427, 756, 785, 815, 1032, 1082, 1228, 1237, 1412, 1418, 1443
Nanofiltration membrane, 1251
Nanometer, 993
Nanoparticles, 1237, 1388
Natural rubber, 137, 826
Networks, 107, 724
N-isopropylacrylamide, 573
Nitrile rubber, 435
NMR, 16, 790
Nonlinear viscoelasticity, 90
N-substituted acrylamide, 672, 681
Nucleation, 245
Nylon, 815, 1262

Oak, 807
Olefinic elastomer, 144
Oligomers, 1002, 1262
Optimization, 1493
Organic-inorganic hybrid, 1418
Organoclay, 238, 307, 386
Orientation, 144, 1519

Particle size, 748
3-Pentenoic acid, 790
Peptides, 1302
Pervaporation, 1143
Phase behavior, 161, 290, 946
Phase separation, 107, 149, 219, 1459
Phenotic, 1169
Phospholipid polymer, 615
Photoageing, 380
Photocuring, 342
Photodegradation, 270
Photoinitiator, 1493
Photopolymerization, 546, 903, 910
Plastics, 967
Polyacrylates, 764
Poly(amide-ester)s, 362
Polyamides, 66, 321, 556, 756, 859, 1251, 1262, 1354, 1376
Polyamines, 1558
Polyaniline, 807

Polybutadiene, 166, 1062, 1215
Polycarbonates, 380, 689, 748
Polycondensation, 362, 606
Polyelectrolytes, 300
Polyesters, 193, 342, 386, 596, 606, 634, 719, 1116, 1459, 1473
Poly(ethylene 2,6-naphthalene dicarboxylate) (PEN), 212
Polyethylene (PE), 583, 647, 700, 708, 847, 1040, 1164, 1189, 1549
Poly(ethylene terephthalate), 1443
Poly(3-hydroxybutyrate), 113
Polyimides, 871, 922, 1082
Polyimines, 556
Polymerization kinetics, 1215
Polymer melt, 1056
Polymer optical fibers, 1100
Polymers, 1181, 1198
Polymethyl methacrylate, 1024
Polyol, 975
Polyolefins, 312, 708, 897
Poly(phenylene oxide), 53
Polyphosphazenes, 880
Poly(propylene) (PP), 231, 245, 254, 280, 307, 502, 647, 708, 841, 1040, 1050, 1073, 1228
Polypyrrole, 807, 1014
Polysiloxanes, 1310
Polystyrene, 336, 785, 826, 1024, 1333, 1354
Polystyrene-supported glucosamine (PS–GA), 890
Polytetrahydrofuran, 1014
Polyurethane foam, 975
Polyurethane/nanosilica composites, 1032
Polyurethanes, 238, 465, 764, 1062, 1509, 1566
Poly(vinyl alcohol), 157, 1143, 1129, 1209
Poly[4-vinylbenzyl (2-benzenesulfonate ethyl) sulfide], 1558
Poly(vinyl chloride) (PVC), 419, 916, 953, 1024
Poly (4-vinylpyridine), 1405
Pore size distribution, 841
Porous particles, 1430
Prepreg, 1485
Processing, 681, 774
Properties, 1443
Propylene polymerization, 738
Proteins, 358, 465
p-vinylphenylboronic acid, 573
P(VPi/VAc), 1539

Radiation, 634, 700, 1189
Radiation shielding, 807
Radical polymerization, 393, 524
Reactive extrusion, 280
Reactive solvents, 1319
Reactivity ratios, 393
Recycling, 659
Reinforcement, 60, 841
Reinforcing effect, 68
Relaxation, 1285
Renewable resources, 774
Resins, 185, 448, 546, 774, 890, 1368, 1485, 1493
Reversed phase chromatography, 1430
Rheology, 90, 300, 419, 502, 774, 1549
Ring opening, 730
Rubber, 2, 6, 28, 39, 53, 74, 166, 173, 916, 1002, 1122, 1275, 1388, 1566

SAXS, 1024
Seawater, 1069
Selectivity, 705, 1302
Separation techniques, 1251
Sequential sampling, 393
Shear, 708, 1578
Shear rate, 1056
Short-fiber–reinforced rubber (SFRR), 82
Silicas, 74, 1237, 1418
Silica–silane, 623
Silicones, 790
Skin/core, 1539
Small-angle neutron scattering, 157
Sodium alginate, 1143
Sodium montmorillonite, 300
Sol-gel reaction, 1418
Solid-state structure, 351
Solubility, 922
Solution properties, 1481
Soybean oils, 1524
Spherical catalysts, 738
Stability, 1509
Stabilization, 212, 380
Stabilizers, 583
Star polymers, 556
Star-shape styrene–butadiene–styrene, 832
Stimuli sensitive polymers, 672, 681
Strain, 647, 859
Strength, 1578
Stress, 647
Stress relaxation, 1588
Stress *versus* strain, 1588
Structure, 863, 946
Structure–property relations, 90, 107, 1175, 1319
Structure-property relationships, 1376
Styrene, 413
Superabsorbent, 264
Surfaces, 494, 897, 903, 910, 1198
Surfactants, 785
Suspension polymerization, 404
Swelling, 264, 404, 427, 724, 871, 916, 1069, 1105
Syndiotactic, 245
Syndiotactic polystyrene, 1412
Syndiotactic PVA, 1539
Synthesis, 264, 606, 672, 946, 981, 1368, 1558
Synthesis polyimides, 321

Telechelics, 6
TEM, 1246
Temperature sensitive, 672
Thermal, 1181
Thermal behavior, 270
Thermal degradation, 1571
Thermally stimulated currents, 1342
Thermal properties, 238, 351, 362, 369, 400, 419, 880, 1105, 1175, 1361, 1473, 1509
Thermal sampling, 1342
Thermodynamic model, 1219
Thermogravimetric analysis (TGA), 400, 596, 1310, 1439, 1448, 1500
Thermoplastics, 659, 1295
Thermosets, 774, 1459
Thin film composite, 1251
Thiol-ene, 342
Toughness, 494, 748, 1285, 1354, 1376, 1519
Transitions, 1069
Triblock copolymers, 981
Tribological properties, 1246

UV-VIS spectroscopy, 336

Vibration force field, 1056
Viscoelastic/polymeric materials, 1588
Viscosity, 448
Volcanic ash, 68
Vulcanization, 2, 53, 68, 149, 1388

Waste, 936, 1002
Water resistance, 962
Water-soluble polymers, 300, 1091
Wear, 1181
Wood, 807

X-ray, 1333

Yamazaki process, 321
Yielding, 708

Zeta potential, 300
Ziegler–Natta catalysts, 738
Zinc oxide, 1388